



EC TYPE-EXAMINATION CERTIFICATE: 1131

Product description: -

Personal Protective Spectacles

Product identification: -

HONEYWELL MILLENIA

Manufacturer:

Sperian Eye and Face Protection Inc.

10 Thurber Boulevard

Smithfield RI 02917

USA

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -

Sperian Protection Europe (SAS)

ZI Paris Nord II

33 Rue des Vanesses, BP 50 288

95958 Roissy CDG cedex

France

Signed

Date: 7th August 2003

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd. 56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ

England (Notified Body No: 0194)

certificate invalid if not embossed

For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

i) Test Report - INSPEC Laboratories

99.01.33A, 99.03.67, 99.03.81, 99.03.84, 99.04.24/25, 99.04.53, 99.05.02, 99.05.33, 99.07.05, 99.07.67, 00.04.28, 00.04.29, 00.09.34, 03.07.13, 07.03.26, 08.08.30, 08.08.31, 08.08.32

INRS Y 382 10 02

ii) Technical File - TF/1131

iii) Quality Plan - Sperian Eye & Face Protection, Inc QP EN 166

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

http://inspec-international.com/ToB.pdf

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

ltem	Status	Issued	Amendment	
Page 1 of 1	Withdrawn	07/08/03		
Page 2 of 2	Withdrawn	07/08/03		
Schedule ONE	Withdrawn	07/08/03		
Schedule TWO	Withdrawn	26/07/05	To add TSR Gray Fogban	
Schedule THREE	Withdrawn	21/07/06	Add logo WAHLEN FUTURE	
Certificate, pages 1 – 4	Withdrawn	12/10/06	Add 7 replacement lenses	
Pages 1 – 4	Withdrawn	22/03/07	Allocation of K option changed following new testing, 07.03.26	
Pages 1 – 4	Withdrawn	01/09/08	Addition of Partizanske as a manufacturing site for assembling the spectacles	
Pages 1 – 4	Valid	110930	Product name change to Honeywell	

CERTIFICATION SCHEDULE

Model	Frame Number	Lenses	Filter Scale	Optical Class	Options(1)	Logo		
1000001	Black	Clear	2 – 1.2	1	FK	HONEYWEL		
1000002	Black	Gray	2-2.5, $5-2.5$	1	FK	HONEYWEL		
1000003	Black	HDL Yellow	2 - 1.2	1	FK	HONEYWEL		
1000004	Black	I/O Silver	2 - 1.7, 5 - 1.7	1	F	HONEYWEL		
1000005	Black	Silver Mirror	2 - 3, $5 - 3$.1	1	F	HONEYWEL		
1002781	Black	Clear Fog-ban	2 - 1.2	1	F	HONEYWEI		
1002782	Black	TSR Gray Fog-ban		1	F	HONEYWEI		
1005212	Black	HDL/Fogban	2 – 1.2	1	F	HONEYWEI		
1006405	Black	Green	3	1	F	HONEYWE		
1006406	Black	Green	5	1	F	HONEYWEI		
1000006	Blue	Clear	2 - 1.2	1	FK	HONEYWEI		
1002783	Blue	Clear Fog-ban	2 – 1.2	1	F	HONEYWE		
1000008	Burgundy	Clear	2 – 1.2	1	FK	HONEYWEI		
1000000	Silver	Clear	2 – 1.2	1	F	HONEYWE		
1000000	Silver	Silver Mirror	2 - 3, 5 - 3.1	i	F	HONEYWEI		
1002802	Blue	Clear/ARCO	2 – 1.2	1	F	HONEYWE		
1005288	Black	Clear / Wurth	2 – 1.2	1	F	HONEYWEI		
1005289	Black	Gray / Wurth	2 - 2.5, 5 - 2.5	1	F	HONEYWEI		
1005203	Black	HDL / Wurth	2 – 1.2	1	F	HONEYWEI		
1014361	Black	Clear	2 – 1.2	1	F	WAHLEN		
				Copped		FUTURE		
1014363	Black	Gray	2-2.5, 5 – 2.5	1	F	WAHLEN FUTURE		
1014364	Black	HDL Yellow	2 – 1.2	1	F	WAHLEN FUTURE		
Replacen	nent Lenses							
1000011		Clear	2-1.2	1	F			
1000012		Gray	2-2.5, 5-2.5	1	F			
1000013		HDĹ	2-1.2	1	F			
1000014		I/O Silver	2 - 1.7, 5 - 1.7		F			
1000015		Silver Mirror	2 - 3, 5 - 3.1		F			
1002787		Clear Fogban	2-1.2	1	F			
1002788		Gray Fogban	2-2.5, 5 – 2.5	1	F			
⁽¹⁾ Key:								
F	= high speed particles, low energy							
K	= resista	ance to surface damage	by fine particles					

