

REF. 1000002





GENERAL DATA

Division : Head Protection **Family :** Eye and Face Protection

Range: Spectacles Line: Single lens

Brand formerly known as: PULSAFE

Business Countries

EMEA

United Kingdom Middle East **Activity Domains**:

Administration • Medical and Pharmaceutical • Laboratory

Product Use:

General use and protection against impact (45m/s) Mechanic work: grinding, turning, milling

Protection against fogging

Protection against arc electric shot (100% UV filtration) For outdoor use when sunlight and glare can cause eye fatigue

PRODUCT ADVANTAGES

Feature:

The best you've ever seen!

Classic and simple in appearance but highly sophisticated in design. Only Pulsafe Millennia offers you Sensitive Tension Design and Parallel Vision Control

Benefit:

A balanced fit and a greater visual comfort

Feature:

Balance and lightness of frame

Benefit:

A virtually weightless feel

Feature:

Adjustable, breakaway Flexicord retainer

Benefit :

Added security and convenience in the active work environment

Feature:

Unique 9 base curved lens design

Benefit :

Excellent optical qualities and complete protection



TECHNICAL DESCRIPTION

Type:

Spectacles

Shade/Lens color:

Grev

Lens coating:

anti-scratch coating

Shade/Lens material:

polycarbonate

Type:

Single Lens

Frame color:

Black Frame

Frame material:

nylon

Weight:

32G

ADDITIONAL INFORMATION

Accessories:

1008060 - Millennia Case: Zip Slip-in-Case with snaphook and belt attachment.

EAN Code:

7312550000014

CERTIFICATION AND CONFORMITY

European Directives:

89/686/EEC

EC Category PPE* : Category II

Standards:

EN166 / EN170 / EN172 Quality Assurance :

ISO 9001 / 2000

EC Certification Number:

EC1131

EC Attestation Number :

0194

Laboratory:

INSPEC

*PPE : Personal Protective Equipment



EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:

Sperian Protection Europe

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: MILLENNIA Black, TSR Grey Lens

Reference: 1000002

Standard(s): EN166 EN170 EN172

This PPE is the object of the above EC attestation type:

0194

Delivered by:

INSPEC

56 Leslie Hough Way

Salford

M6 6AJ Greater Manchester

United Kingdom

Made at Smithfield, on the 08/07/2003

By: Phil Johnson

Division: Head Protection

Philip John





EC TYPE-EXAMINATION CERTIFICATE: 1131

Product description: -

Personal Protective Spectacles

Product identification: -

SPERIAN MILLENIA

Manufacturer:

Sperian Eye and Face Protection Inc.

BEPTE

10 Thurber Boulevard

Smithfield RI 02917

USA

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -

Sperian Protection Europe (SAS)

ZI Paris Nord II

33 Rue des Vanesses, BP 50 288

95958 Roissy CDG cedex

France

Signed

Date: 7th August 2003

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd. 56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ England (Notified Body No: 0194)

Milleret

For terms and conditions of issue, see page 2



Terms and Conditions

Reference Documents: -

i) Test Report

INSPEC Laboratories 99.01.33A, 99.03.67, 99.03.81, 99.03.84, 99.04.24/25, 99.04.53, 99.05.02, 99.05.33, 99.07.05, 99.07.67, 00.04.28, 00.04.29, 00.09.34, 03.07.13, 07.03.26, 08.08.30, 08.08.31, 08.08.32 INRS Y 382 10 02

ii) Technical File

TF/1131

iii) Quality Plan

Sperian Eye & Face Protection, Inc OP EN 166

Conditions attached to the issue of this certificate:

- Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 1	Withdrawn	07/08/03	
Page 2 of 2	Withdrawn	07/08/03	
Schedule ONE	Withdrawn	07/08/03	
Schedule TWO	Withdrawn	26/07/05	To add TSR Gray Fogban
Schedule THREE	Withdrawn	21/07/06	Add logo Private
Certificate, pages 1 – 4	Withdrawn	12/10/06	Add 7 replacement lenses
Pages 1 – 4	Withdrawn	22/03/07	Allocation of K option changed following new testing, 07.03.26
Pages 1 – 4	Withdrawn	01/09/08	Addition of Partizanske as a
			manufacturing site for
			assembling the spectacles
Pages 1 – 4	Valid	26/02/09	Renaming to private label



EC Certificate: 1131 Page 3 of 4 Revision: 090226

CERTIFICATION SCHEDULE

Style:	MILLENNIA					
Model	Frame Number	Lenses	Filter Scale	Optical Class	Options ⁽¹⁾	Logo
1000001	Black	Clear	2-1.2	1	FK	SPERIAN
1000002	Black	Gray	2-2.5, 5 - 2.5	1	FK	SPERIAN
1000003	Black	HDL Yellow	2 - 1.2	1	FK	SPERIAN
1000004	Black	I/O Silver	2-1.7, 5-1.7	1	F	SPERIAN
1000005	Black	Silver Mirror	2-3,5-3.1	1	F	SPERIAN
1002781	Black	Clear Fog-ban	2 – 1.2	1 -	F	SPERIAN
1002782	Black	TSR Gray Fog-ban		1	F	SPERIAN
1005212	Black	HDL/Fogban	2 – 1.2	1	F	SPERIAN
1006405	Black	Green	3	1	F	SPERIAN
1006406	Black	Green	5	1	F	SPERIAN
1000006	Blue	Clear	2-1.2	1	FK	SPERIAN
1002783	Blue	Clear Fog-ban	2-1.2	1	F	SPERIAN
1000008	Burgundy	Clear	2-1.2	1	FK	SPERIAN
1000009	Silver	Clear	2-1.2	1	F	SPERIAN
1000010	Silver	Silver Mirror	2-3,5-3.1	1	F	SPERIAN
1002802	Blue	Clear/ARCO	2-1.2	1	F	SPERIAN
1005288	Black	Clear	2-1.2	1	F	Private label
1005289	Black	Gray	2-2.5, 5-2.5	1	F	Private label
1005311	Black	HDL	2 – 1.2	1	F	Private label
1014361	Black	Clear	2-1.2	1 -	F	Private label
1014363	Black	Gray HDL Yellow	2-2.5, 5 - 2.5	1	F	Private label
1014364	Black	HDL Yellow	2-1.2	1	F	Private label
Replacem	ent Lenses					
1000011		Clear	2-1.2	1	F	
1000012		Gray	2-2.5, 5-2.5	1	F	
1000013		HDL	2-1.2	1	F	
1000014		I/O Silver	2-1.7,5-1.7	1	F	
1000015		Silver Mirror	2-3,5-3.1	1 -	F	
1002787		Clear Fogban	2-1.2	1	F	
1002788		Gray Fogban	2-2.5, 5 - 2.5	1	F	
⁽¹⁾ Key:						
F	= high s	peed particles, low energ	gy		151	153
К	= resista	ance to surface damage	by fine particles		2	1-1
					15 11	1757 9
					FEY	12

DATE RECEIVED: 3/9/09

PRODUCT: 3/9/09

PRODUCT: 3/9/09

CERTIFICATION TEST REPORT FORM

CERTIFICATION TEST REPORT

O.A. MANAGER

O.A. MANAGER

DIRECTOR QUALITY SYSTEMS

DIRECTOR R & D: CORR.

