

**GENERAL DATA**

Division : Head Protection
Family : Eye and Face Protection
Range : Spectacles
Line : Single lens
Brand formerly known as : PULSAFE
Business Countries
EMEA
United Kingdom
Middle East
Activity Domains :
Administration

Product Use :

General use and protection against impact (45m/s)
Mechanic work: grinding, turning, milling
Protection against fogging
Protection against arc electric shot (100% UV filtration)

PRODUCT ADVANTAGES**Feature :****The best you've ever seen!**

Classic and simple in appearance but highly sophisticated in design. Only Pulsafe Millennia offers you Sensitive Tension Design and Parallel Vision Control

Benefit :

A balanced fit and a greater visual comfort

Feature :

Balance and lightness of frame

Benefit :

A virtually weightless feel

Feature :

Adjustable, breakaway Flexicord retainer

Benefit :

Added security and convenience in the active work environment

Feature :

Unique 9 base curved lens design

Benefit :

Excellent optical qualities and complete protection

TECHNICAL DESCRIPTION

Type :

Spectacles

Shade/Lens color :

Clear

Lens coating :

FogBan

Shade/Lens material :

Polycarbonate

Replacement lens :

No

Frame color :

Blue

Frame material :

Nylon

Weight :

32g

ADDITIONAL INFORMATION

EAN Code :

7312550027837

CERTIFICATION AND CONFORMITY

European Directives :

89/686/EEC

EC Category PPE* : Category II

Standards :

EN166

Quality Assurance :

ISO 9001 / 2000

EC Certification Number :

1131

EC Attestation Number :

0194

Laboratory :

INSPEC

*PPE : Personal Protective Equipment

EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:

Sperian Protection Europe

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: MILLENNIA Blue, Clear FogBan Lens

Reference: 1002783

Standard(s): EN166

This PPE is the object of the above EC attestation type:

0194

Delivered by:

INSPEC

56 Leslie Hough Way

Salford

M6 6AJ Greater Manchester

United Kingdom

Made at Smithfield, **on the** 08/07/2003

By: Phil Johnson

Division: Head Protection

INSPEC



EC TYPE-EXAMINATION CERTIFICATE: 1131

Product description: -

Personal Protective Spectacles

Product identification: -

SPERIAN MILLENIA

Manufacturer:

Sperian Eye and Face Protection Inc.
10 Thurber Boulevard
Smithfield
RI 02917
U S A

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -

Sperian Protection Europe (SAS)
ZI Paris Nord II
33 Rue des Vanesses, BP 50 288
95958 Roissy CDG cedex
France

Signed

Date: 7th August 2003

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)



For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

- | | | | |
|------|----------------|---|--|
| i) | Test Report | - | INSPEC Laboratories
99.01.33A, 99.03.67, 99.03.81, 99.03.84,
99.04.24/25, 99.04.53, 99.05.02, 99.05.33,
99.07.05, 99.07.67, 00.04.28, 00.04.29, 00.09.34,
03.07.13, 07.03.26, 08.08.30, 08.08.31, 08.08.32
INRS Y 382 10 02 |
| ii) | Technical File | - | TF/1131 |
| iii) | Quality Plan | - | Sperian Eye & Face Protection, Inc QP EN 166 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 1	Withdrawn	07/08/03	
Page 2 of 2	Withdrawn	07/08/03	
Schedule ONE	Withdrawn	07/08/03	
Schedule TWO	Withdrawn	26/07/05	To add TSR Gray Fogban
Schedule THREE	Withdrawn	21/07/06	Add logo Private
Certificate, pages 1 – 4	Withdrawn	12/10/06	Add 7 replacement lenses
Pages 1 – 4	Withdrawn	22/03/07	Allocation of K option changed following new testing, 07.03.26
Pages 1 – 4	Withdrawn	01/09/08	Addition of Partizanske as a manufacturing site for assembling the spectacles
Pages 1 – 4	Valid	26/02/09	Renaming to private label



CERTIFICATION SCHEDULE

Style: MILLENNIA

Model	Frame Number	Lenses	Filter Scale	Optical Class	Options ⁽¹⁾	Logo
1000001	Black	Clear	2 - 1.2	1	F K	SPERIAN
1000002	Black	Gray	2-2.5, 5 - 2.5	1	F K	SPERIAN
1000003	Black	HDL Yellow	2 - 1.2	1	F K	SPERIAN
1000004	Black	I/O Silver	2 - 1.7, 5 - 1.7	1	F	SPERIAN
1000005	Black	Silver Mirror	2 - 3, 5 - 3.1	1	F	SPERIAN
1002781	Black	Clear Fog-ban	2 - 1.2	1	F	SPERIAN
1002782	Black	TSR Gray Fog-ban	2 - 2.5, 5 - 2.5	1	F	SPERIAN
1005212	Black	HDL/Fogban	2 - 1.2	1	F	SPERIAN
1006405	Black	Green	3	1	F	SPERIAN
1006406	Black	Green	5	1	F	SPERIAN
1000006	Blue	Clear	2 - 1.2	1	F K	SPERIAN
1002783	Blue	Clear Fog-ban	2 - 1.2	1	F	SPERIAN
1000008	Burgundy	Clear	2 - 1.2	1	F K	SPERIAN
1000009	Silver	Clear	2 - 1.2	1	F	SPERIAN
1000010	Silver	Silver Mirror	2 - 3, 5 - 3.1	1	F	SPERIAN
1002802	Blue	Clear/ARCO	2 - 1.2	1	F	SPERIAN
1005288	Black	Clear	2 - 1.2	1	F	Private label
1005289	Black	Gray	2 - 2.5, 5 - 2.5	1	F	Private label
1005311	Black	HDL	2 - 1.2	1	F	Private label
1014361	Black	Clear	2 - 1.2	1	F	Private label
1014363	Black	Gray	2-2.5, 5 - 2.5	1	F	Private label
1014364	Black	HDL Yellow	2 - 1.2	1	F	Private label

Replacement Lenses

1000011	Clear	2-1.2	1	F
1000012	Gray	2-2.5, 5-2.5	1	F
1000013	HDL	2-1.2	1	F
1000014	I/O Silver	2 - 1.7, 5 - 1.7	1	F
1000015	Silver Mirror	2 - 3, 5 - 3.1	1	F
1002787	Clear Fogban	2-1.2	1	F
1002788	Gray Fogban	2-2.5, 5 - 2.5	1	F

⁽¹⁾ Key:

- F = high speed particles, low energy
- K = resistance to surface damage by fine particles



CERTIFICATION/TEST REPORT RECEIPT FORM

DATE RECEIVED: 3/9/09

PRODUCT: M.11 enniol

CERTIFICATION ☒

TEST REPORT ☐

SIGNATURES

Q.A. MANAGER

DIRECTOR QUALITY SYSTEMS

DIRECTOR R & D:

[Handwritten signatures]

