



PRODUCT NUMBER: 1788150

PLASTIC CANISTER RD40 ABEK2

Overview

Reference Number

1788150

Product Type

Respiratory Protection

Range

Reusable APR

Brand

Sperian

Brand formerly known as

WILLSON

Industry

● Industry

Product Use

The A2B2E2K2P3 filter is used for protection against types A, B, E and K toxic gases according to the EN 141:2000 standard (i.e. organic and inorganic vapours and gases, acidic gases and vapours, sulphur dioxide and amine organic by-products).

This filter is used with a Sperian full-face mask.

The full-face mask and A2B2E2K2 filter set must only be used when the toxic concentration is less than 2000 x TLV.

(TLV= TWA for 8 hours of work or STEL for 15 minutes of work)

(cf. INRS document ed. 780 "Respiratory protection devices").

They can only be used in sufficiently ventilated premises where the atmosphere contains a minimum oxygen volume of 17 %.

CHARACTERISTICS :

- Type 450 cc
- Lightweight and resistant PLASTIC housing with plastic cover
- 106 mm in diameter
- Does not obstruct the field of vision
- EN 148-1 conforming threaded connection to the Sperian full-face mask, ensuring a reliable connection and an excellent seal
- Activated and impregnated coconut carbon
- Very high absorption efficiency.

GASES TESTED :

EN 141 standard cartridge test chart The tests are carried out according to the A2, B2, E2 and K2 paragraphs.

The Sperian cartridges pass the tests by a significant margin.

PACKAGING :

Packaged individually in a sealed plastic sleeve.

In case of a claim on this product, please indicate the lot number shown on the label.

Features & Benefits

Feature

Coconut based carbon

Benefit

Safe

Feature

2 safety plugs

Benefit

Safe storage between periods of use

Feature

Inhalation port

Benefit

Easy tightness test

Feature

Comes in individual cardboard box

Benefit

- Safe - Easy storage

Feature

P3 filter

Benefit

Constant optimal filtration

Feature

XL

Benefit

Longer protection

Feature

Plastic casing

Benefit

Appreciable use in specific zones (high protection offered without metal)

Feature

RD 40 connection

Benefit

Multipurpose and can be introduced for use with existing respirators

Feature

Plastic

Benefit

- Acceptable for use in the Nuclear - Industry

Feature

Price

Benefit

Appreciable savings

Certifications

EC Category PPE

3


Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0070-236-079-06-04-0036

EC Attestation

 EC Attestation

EC Attestation Number

0070-236-079-06-04-0036

Photos & Images

We're sorry, there are no images available at this time.



For general inquiries
800.343.3411

View other region sites
© 2011 Honeywell International Inc.