



PRODUCT NUMBER: 2232255
PERFECT POLY®

Handling of fine products in a dry or slightly greasy or soiled environment. Assembly, automotive industry assembly, logistics (forklift operators), sorting of parts.

Honeywell

Overview

Reference Number

2232255

Product Type

Gloves

Range

General purpose

Line

Precision work

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Energy or Electricity
- Logistics
- Maintenance
- Services
- Telecoms
- Transportation
- Utilities

Product Use

Handling of fine products in a dry or slightly greasy or soiled environment. Assembly, automotive industry assembly, logistics (forklift operators), sorting of parts.

Features & Benefits

Feature

White polyamide knitted glove
 White polyurethane coating on palm and fingertips

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity. The glove offers maximum comfort and added sturdiness. The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch. The ventilated back and PU coating optimise the glove's breathability.

RESISTANCE

Polyamide with its polyurethane coating provide excellent abrasion and tear resistance. The PU coating ensures a good grip.

SAFETY

Non pilling, the polyamide is suitable for precision work.
The gloves are certified as "silicone-free" to ensure their use in painting environment.

HYGIENE

Its white colour enhances the glove's hygiene and cleanliness.

Technical Description

Description

CE CATEGORY : II Intermediary risks
In accordance with standards :
EN 420-2003 Basic standards
EN 388-2003 Mechanical hazards

CHARACTERICS :

White polyamide knitted glove
White polyurethane coating on palm and fingertips

Product Technology

Knitted Coated

Gauge

15

Glove/liner color

White

Coating Type

Polyamide and polyurethane

Length

24 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

6 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	3
Puncture resistance	1

Packaging Label

Tagging

CE HONEYWELL
2232255 XX
EN 420
EN 388 : 4131

Certifications

 E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/11/06/0279

EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/11/06/0279

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.