



+ [View More](#)

PRODUCT NUMBER: 1005073
BILSOM 303L Foamplug

Overview

Reference Number
1005073

Product Type
Hearing Protection

Range
Earplugs

Line
Disposable Earplugs

Brand
Howard Leight by Sperian

Brand formerly known as
BILSOM

Industry

- Industry • Administration • Agriculture • Army - Defence • ATEX environment
- Automotive and Part Manufacturer • Aviation • Building and Construction • Catering
- Chemical Industries • Energy or Electricity • Fire Protection brigades • Fishing
- Food Industries • Foundry • Glass Industries • Green Spaces • Homeland defense
- Industrial Cleaning • Iron and steel industry • Laboratory • Logistics • Maintenance
- Medical and Pharmaceutical • Metal steel • Mining and Quarrying • Offshore
- Paper Industries • Petro-chemical • Printing Industries • Services • Ship Building

BILSOM 303L Foamplug - 1005073

● Telecoms ● Textile Industries ● Transportation ● Utilities ● Water treatment ● Welding
● Wood Industries

Product Use

Single-Use Earplug, 1-PR Pouch, 200BX

Features & Benefits

Feature

POLYURETHANE FOAM Soft foam delivers superior long-wearing comfort and solid performance. SMOOTH, SOIL-RESISTANT SKIN Prevents dirt or other substances from accumulating on skin or entering ear canal.

Benefit

The Bilsom 300 Series earplugs are ideal for workers who need to block out loud noise demand the best protection and comfort available in an earplug. Europe most-used polyurethane earplug, the 300 series earplug, offers superior noise-blocking performance in a single-use earplug.

Technical Description

SNR (dB)

33

H (dB)

32

M (dB)

29

L (dB)

29

Attenuation Data

	63	125	250	500	1000	2000	4000	8000
Frequency (Hz) Frequenz (Hz) Fréquence (Hz)								
Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)	28.4	37.3	37.9	39.1	36.0	34.6	42.5	46.4
Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)	6.4	9.0	9.2	9.7	7.9	4.6	4.9	4.7
Assumed Protection (dB) Angenommener (dB) Protection supposée (dB)	22.0	28.3	28.7	29.4	28.1	30.0	37.6	41.8

Size

Regular

Color

Yellow and white

Shape

bullet

Corded Material

n/a


Corded

No

Weight (grs)

0.48

Certifications

 **E.C. Declaration of Conformity**

EC Category PPE

2


Quality Assurance

ISO 9001 / 2000

EC Certificate Number

941057


EC Attestation


 EC Attestation

EC Attestation Number


9404815

Literature & Documents

 **E.C. Declaration of Conformity**

 **PIC SKU - Pictures**

<http://www.honeywellsafety.com/assets/0/324/500/51887/ea417e6446ae40ef8a7d8ce1a98e9bfe.jpg>

 **PIC SKU - Pictures**


<http://www.honeywellsafety.com/assets/0/324/500/51887/859c9b51971e41a4a74462dddaa70a3f.jpg>

 **PIC SKU - Pictures**

<http://www.honeywellsafety.com/assets/0/324/500/51887/593c1ab7220f41898e20de53ab788dd6.jpg>

 **PIC SKU - Pictures**

<http://www.honeywellsafety.com/assets/0/324/500/51887/2b2d27b6bd264c1489ce54b1afef102b.jpg>

 **PIC SKU - Pictures**

<http://www.honeywellsafety.com/assets/0/324/500/51887/9d4f189ebe364d3785872ec7f2bbb52e.jpg>

Photos & Images

We're sorry, there are no images available at this time.

Maintenance

Storage Information

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

Care Instructions

Disposable earplugs are made of either TPE (Thermoplastic elastomers) or polyurethane foam. Washing and cleaning of disposable earplugs are not recommended. These plugs must be disposed of and replaced after each wearing. Excessive moisture reduces the attenuation and slows down the foam recovery which may lead to improper fit.

Packaging

EAN Code

7312550050736



[View other region sites](#)
© 2011 Honeywell International Inc.