


Universe	Professional
Type	Verticality
Category	Lanyards and energy absorbers
Subcategory	Fall arrest lanyards



ASAP'SORBER

The ASAP'SORBER lanyard connects to the ASAP or ASAP LOCK mobile fall arrester to allow the user to work at a distance from the rope in order to protect it during certain work phases. It is equipped with a tearing energy absorber located in a zippered fabric pouch to protect it from abrasion while allowing for regular inspection. This lanyard is available in two lengths for a choice of the best balance between distance from the rope and reducing the fall length.



Allows the rope to be kept at a distance to protect it during certain work phases.

Short Description Lanyard with energy absorber for ASAP or ASAP LOCK

- Selling Points**
- Connects the ASAP or ASAP LOCK mobile fall arrester to the harness
 - Allows the user to distance himself from the rope in order to:
 - declutter the work area
 - protect the rope from sharp tools and molten metal splash
 - Absorb the energy of a fall by the tearing of specific stitching
 - Available in two lengths for a choice of the best balance between distance from the rope and reducing the fall length
 - Zippered fabric pouch protects the energy absorber from abrasion and splashes while allowing for regular inspection of the absorber
 - Ends equipped with STRING to hold the connector in position and protect the webbing from abrasion
 - Available in two lengths for a choice of the best balance between distance from the rope and reducing the fall length

-
- Specification**
- Material(s): nylon, polyester
 - Certification(s): CE EN 355, EAC
-

Specifications by reference

Reference(s)	L71AA 20	L71AA 40
		
Length of sling	20 cm	40 cm
Weight	75 g	105 g
Made in	FR	FR
Guarantee	3 years	3 years
Packing	1	1
Case quantity	10	20
EAN	3342540098176	3342540098183

Spare part(s) STRING

Related product(s) ASAP®
ASAP® LOCK
OK
AXIS 11 mm
PARALLEL 10.5 mm