

Universe	Professional
Туре	Verticality
Category	Connectors
Subcategory	Large connectors



MGO OPEN 60

MGO OPEN 60 is an auto-locking directional connector with very large gate opening for connection to metal structures or to large-diameter cables and bars. It has a gated connection point for attachment to different types of lanyards. If the lanyard is damaged, the connector can thus be reused.



Gated connection point for direct attachment of the MGO OPEN 60 to ABSORBICA or GRILLON lanyards.

Short Description	Auto-locking directional connector with large gate opening, and a gated connection point	
Selling Points	 Designed for connection to metal structures or to large-diameter cables and bars Gated connection point for direct attachment of the MGO OPEN to ABSORBICA or GRILLON lanyards. If the lanyard is damaged, the connector can thus be reused. Special connection point helps keep the carabiner loaded on its major axis Ergonomic unlocking handle 	
Specification	Material(s): aluminum Certification(s): CE EN 362, EAC	

Specifications by reference

Reference(s)	MGOO 60
Weight	490 g
Major axis strength	23 kN
Gate opening	63 mm
Made in	TW
Guarantee	3 years
Packing	1
Case quantity	6
EAN	3342540103740

ABSORBICA-I European version ABSORBICA-I VARIO ABSORBICA-Y European version GRILLON Related product(s)