# Technische fiche / Fiche technique / Technical sheet



## 3315RZ1-RA

Right Angle Light

Ultra compact, lithium ion rechargeable and safety certified make the Peli™ 3315RZ1-RA one of the most versatile work torches available today. Its compact design fits comfortably in your hand and requires little space for storage or transport. The 3315RZ1-RA produces up to 176 lumens and provides up to 48 hours of continuous run time. 3 modes are provided, High / Low / Flashing. There is a full time battery level indicator built into the power switch so you'll always know when it's time to recharge.

- Full Time Battery Level Indication
- 3 modes High / Strobe / Low
- · Lithium Ion Rechargeable Battery
- Lanyard (included)
- Safety Certified Atex Zone 1
- Up to 176 Lumens
- Up to 48 hours run time
- IP67 waterproof and dustproof



#### **DIMENSIONS**

**Length** 8.27" (21 cm)

#### **MATERIALS**

**Body** Anti-static Impact Modified PC/PBT

O-Ring EPDM

**Lens** Polycarbonate (PC)

Shroud Anti-static Impact Modified PC/PBT

Clip Stainless Steel

#### **COLOURS**

High Visibility Yellow

#### LIGHT SPECS

Lamp Type LED

#### **POWER**

Battery Size 18650 Battery Type Lithium-lon

Battery Quantity1Batteries IncludedyesRechargeableyesCharge Time5 hrsBattery Level IndicatorRGB LED

Volts 3.7v

#### **SWITCH**

Switch Type

Push Button



Westkaai 7 - B2170 Merksem / Antwerpen Tel. 03 646 99 60 - Fax 03 646 00 25 info@safetyshop.be - www.safetyshop.be

### **CERTIFICATIONS**

ATEX Zone 1
IECEx ib

## OTHER

Minimum Pack Package Code 1 C

FL1 STANDARD	HIGH	LOW
31/2	176 LUMENS	22 LUMENS
$\Theta$	5h 30mins	48h 0mins
	127m	44m
	4022cd	492cd
	IP67	

## **ACCESSORIES**



**3317** Right Angle Adapter



**3318Z1**Deck/Dash Charger Base Unit



**3319Z1**Replacement Battery



**6061F** Direct Wiring Rig for Fast Charger



**8056F** 12v Plug-in for Fast Charger

Document created on 01-22-21