



PRODUCT NUMBER: 1017900
TURBOLITE webbing 2m
 webbing 2m - Twistlock carabiner and snap hook



Overview

Reference Number

1017900

Product Type

Fall Protection

Range

Fall Arrest Blocks and Winches

Brand

Miller by Honeywell

Industry

- Industry
- Building and Construction

Product Use

The TurboLite is the first affordable alternative to shock-absorbing lanyards. It provides a safe alternative requiring less fall clearance.

Features & Benefits

Feature

- * Built-in web load indicator identifies when the unit needs removed from services
- * Quick activating Patent Pending Braking System.
- * Compact and lightweight provides 2m working capacity lifeline
- * Engineered webbing for greater abrasion resistance and long service life (vectran / polyester webbing).
- * Lightweight, high-strength, impact-resistant nylon housing for maximum durability
- * Built-in swivel prevents lifeline from twisting
- * No annual factory recertification required

* Rated for up to a 136 kg user Rated for up to a 100kg user (use in down level)

Benefit

Adapted to all situation when working with low space clearance.

Can be used in Fall Factor 2 (below the back D ring and not lower than foot level).

Can be used on both side.

Technical Description

External

Housing

high impact nylon

Hub

shock-absorbing engineered co-polymer

Webbing

Vectran core (25.4mm x 1.5mm)

Connectors

Carabiners: Twistlock carabiner (opening: 16mm) raw material: aluminium Snap Hook (opening: 21mm) raw material: aluminium

Performance

Weight (kg)

0.860 kg

Complementary Information

EN 360

Certifications

 **E.C. Declaration of Conformity**

EC Category PPE

3

Quality Assurance

ISO 9001 / 2000

EC Attestation

 EC Attestation

EC Attestation Number

0082/544/160/12/08/0430

Additional Information

User Manual

NT90022859 IND F

User Information Sheet

User manual

Packaging

EAN Code

3660681042675

